

Gallbladder Removal in Patients 18 years and over

Criteria Based Access

Before consideration of referral for management in secondary care, please review advice on the Remedy website (www.remedy.bnssg.icb.nhs.uk/) or consider use of advice and guidance services where available.

Section A – Symptomatic Gallstones Only

Cholecystectomy is the surgical removal of the gallbladder. Cholecystectomy will be funded for patients with symptomatic gallstones where there is evidence of symptoms associated with gallstones. Elective patients only with one of the following:

1. Calculus of gallbladder with **acute** cholecystitis
- OR**
2. Calculus of bile duct with cholangitis (infection of the bile duct)
- OR**
3. Calculus of gallbladder with impacted gallstone or recurrent Biliary Colic (*this must be clearly documented within the patient records of two* or more episodes resulting in pain/nausea*).

In addition to the above a Cholecystectomy will be funded for patients in the following instances:

4. Emergency presentation of acalculous cholecystitis where surgery is appropriate
- OR**
5. After pancreatitis (if appropriate)

NOTE: Emergency presentation will be assessed by the clinical team and clinical decision will be made *although treatment decisions should be made in line with this policy*.

Section B – Asymptomatic Gallstones Only

Prophylactic cholecystectomy is not indicated in most patients with asymptomatic gallstones.

The removal of the gallbladder for asymptomatic / silent gallstones will only be considered if the patient has one or more of the following *and this is clearly documented in the patient records*:

1. Gallbladder polyp(s) as detailed in the ESGAR management pathway (see remedy website for details).

OR

2. Sickle Cell disease or other chronic haemolytic diseases.

OR

3. An increased risk of developing complications (with non-functioning gallbladder, choledocholithiasis and obstructive jaundice).

Note: Patients with Asymptomatic Gallstones under the care of a Cancer MDT are outside of the scope of this policy

BNSSG ICB is responsible for making the best use of the NHS funds allocated to us to meet the health needs of our local population. The demand for services is greater than the resources available and therefore we have to prioritise the use of funds carefully. Our approach is to prioritise commissioning treatments, operations or drugs that are most effective in meeting the health needs of the population. All operations carry significant risks and where symptoms are mild or moderate it is likely that the risks outweigh the benefits. Not all conditions progress and when symptoms can be managed conservatively, that is the safest option.

BRAN

For any health-related decision, it is important to consider “BRAN” which stands for:

- **B**enefits
- **R**isks
- **A**lternatives
- **D**o **N**othing

Benefits

Removal of the gallbladder will stop the pain caused by gallstones. It can also prevent the gallstones from coming back.

Risks

Removal of gallbladder is considered a safe procedure however as with any surgery there is an element of risk of complications. Some people may develop a wound or internal infection after surgery. Some people can also experience blood clots after surgery.

There is also the risk of injury to the bile duct during the removal. In around 1% of cases bile leakage into the abdomen can occur post-surgery

Alternatives

Consider conservative measures.

Do Nothing

Remember, you always have the option to do nothing. Doing nothing is an equally reasonable option to doing something. Sometimes “not yet” is a good enough answer until you gather more information.

Gallbladder Removal – Plain Language Summary

Gallbladder removal surgery, also known as a cholecystectomy, is a common procedure. The gallbladder is a small, pouch-like organ in the upper right part of the stomach. It stores bile, a fluid produced by the liver that helps break down fatty foods. You don't need a gallbladder, so surgery to take it out is often recommended if you develop any problems with it.

Surgery to remove the gallbladder is usually carried out if someone has painful gallstones. These are small stones that can form in the gallbladder as a result of an imbalance in the substances that make up bile.

Gallstones often cause no symptoms and you may not realise you have them, but occasionally they can block the flow of bile and irritate the gallbladder (acute cholecystitis) or pancreas (acute pancreatitis).

This policy has been developed with the aid of the following:

1. National Health Service (2019) Health A to Z: Gallbladder removal
www.nhs.uk/conditions

Connected Policies

N/A

Due regard

In carrying out their functions, the Bristol North Somerset and South Gloucestershire Clinical Policy Review Group (CPRG) are committed to having due regard to the Public Sector Equality Duty (PSED), and NHSE Evidence-Based Interventions (EBI). This applies to all the activities for which the ICB are responsible, including policy development and review.

Document Control

Title of document:	Gallbladder removal in patients 18 years and over
Authors job title(s):	Policy development support officer
Document version:	2223.02.02
Supersedes:	1819.02.01
Clinical Engagement received from:	Consultants (Upper GI) at North Bristol NHS trust and University Hospital Bristol and Weston NHS trust
Discussed at Commissioning Policy Review Group (CPRG):	25 th April 2023
Approval Route (see <u>Governance</u>):	Level – 1
Approval Date	25 th April 2023
Date of Adoption:	1 st August 2023
Publication/issue date:	1 st August 2023
Review due date:	Earliest of either NICE publication or three years from approval.
Equality Impact Assessment Screening (date completed):	01.08.22
Quality Impact Assessment Screening (date completed):	17.11.22
Patient and Public Involvement	01.08.22

Governance

Commissioning policies are assessed for their likely level of impact on BNSSG ICB and the population for which it is responsible. This determines the appropriate level of sign off. The below described the approval route for each score category.

Policy Category	Approval By
Level 1	Commissioning Policy Review Group.
Level 2	Chief Medical Officer, or Chief Nursing Officer, or System Executive Group Chair
Level 3	ICB Board

OPCS Procedure codes

Must have any of (primary only): J181,J182,J183,J184,J185,J188,J189,J211

Must have any of (any secondary): Y75%

Support

If you would like further copies of this policy or need it in another format, such as Braille or another language, please contact the Customer Services Team on: **0117 900 2655** or **0800 073 0907** or email them on BNSSG.customerservice@nhs.net.