


NBT Screen Shots for Navigating on ICE

1) Select GP Diagnostics from Right side of the top ribbon



2) Select Colorectal TWW Referral from picking list on the left of screen

te of thether 22.3	California de la constante de la const	shill Number: SCE749748		4	ext Female			
dress: DIS	transmit A. F. Law.	Number: 333 333 3333					44.64	
A Section of the sect	MEY STREET, WALTS, PLORIDA			Telephone	Net	No.	ess Details	1-6926476
Contra a secondar .							Powe	THICI
Lister and	Rad Plain Film Rad MILI	I may see] [man source]]	Nindau Madride	European Street	Inter-ventional	GP Other	Disgoosters	Call Path
GP Pathology	Rad Plain Family Rad Mill	Read C.F. Citra-sources	adolegi Metrocki	Theory ToopT		1 Georgeon	in test all reconstraction.	
DP Dangrounce								KEY
Colorectal	The second secon			11111111		-		- I have
ZWW B	GP Other Diagnostics							
and a state	Requests made for Ot	her Diagnostics go						
	to the Department/Spec	salty providing the						
NORA TOULA	service,							
Search	not to Pathology or R	adsology						
	Bone Densitometr	work Deferral						
Set as	E bone censitonieu	y base according						-
Default Parent	TIA Clinic Referra							
Car - Carlor - Carlos								_
	Resp Outpatient H	ome 02 Therapy						-
	Referral							-
								_
	Resp Pulmonary R	chabilitation						
		chabilitation						
		chabilitation						
		chabilitation			This is the	LIVE syst	-	
		schabilitation			This is the	LIVE syst	lem	_
	Referral				-			
	Referral	tchabilitation ats made for this patient			To view all	requests fo	r this patient,	
	Referral		To view re-	conde of the teel	-	requests fo	r this patient, r this patient,	chick here.
	Referral	ats made for this patient	t: To view re Investigations	conde of the test	To view all	requests fo Sy made fo Priority	r this patient,	d Status
	Referral	nts made for this patient de Screen, Coelac Screen	To view re-	conde of the test	To view all	requests for Sy mode fo Priority Request L	r this patient, r this patient, Loc Ordere	d Status 28 SPC

Shaping better health

3)Select type of investigation required: TWW Colonoscopy, Virtual CT or CT Abdo/pelvis.

Clicking the book icon takes you directly to Remedy website where the patient information leaflet can be printed off

	142	1001 H 04-1		Shifty Party	Maxim Care Systems 195	Address of the local division of
watherry Dary Done	ments Patiente N	Inv Consultation				
Tangan Appointment	all Repire Review	Hopful Namber: 1027492	<u> </u>	o: Insule		
mage Detection 22.3		100 Narder 333-333		1000 1000 1000 1000 1000 1000 1000 100		Surgery .
Astron DPA		ORIDA, INCISION, ISSIS SR		Next ::	View Details	UNIC 1692043986
· Services		and a second			19	FICE
Lore Paradiana	Rad Black Film	and line or lines	curil Nuclear Nedicine Plann action	Venue	COLUMN TRANSPORT	- Cost averal
Contraction of a little	Contraction I looks	there is a set of the set	and I have been also and the second state		les ore contract	Concession of the local division of the loca
GP Diagnostics						REY
Colorectal 2WW	[lon a long	d 2 Work Walt Path	1.4
and the second s	and the second se	Week Wait Pathway	GP Colorectal 2 Week Wait Pathway	In Colorects	of 2 Work Walt Path	and the second second
Lappen G2.2 WW	Change in bowel					
		POINT OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTIONO		the second second	manual bilanding and	
Putapancharres		anacmia age > 60		Unexplained	rectal blending age	0 > 50
and the second s		POINT OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTIONO		Unexplained	rectal bleeding ag	e > 50
Putypecturey	Weight loss and 40	anaemia age > 60 abdominal pain age >			rectal bleeding ag	
and the second s	Weight loss and 40 Positive F08 plu	anacmia age > 60 alafominal pain age > s red flag symptom			Plexible Sigmoidou	
Search Set as	Weight loss and 40 Positive FOB plu Rectal bleeding (anaemia age > 60 abdominal pain age >			Plexible Sigmoidou	
Secult	Weight loss and 40 Positive F08 plu	anacmia age > 60 alafominal pain age > s red flag symptom			Plexible Sigmoidou	
Seenth Set as Default	Weight loss and 40 Positive F08 plu Rectal blending (age < 50	nnaernia age > 60 abdominal pain age > s red flag symptom plus red flag symptom			Plexible Sigmoidou	
Seenth Set as Default	Weight loss and 40 Positive F08 plu Rectal blending (age < 50	anacmia age > 60 alafominal pain age > s red flag symptom) If Iron Deficiency Anaemia also book gastroscopy		Plexible Sigmoidou	
Seenth Set as Default	Weight loss and 40 Positive F08 plu Rectal blending (age < 50	anacenia age > 60 abdoronal pain age > s red flag symptom plas red flag symptom muscopy Beforeal #3) If Iron Deficiency Assemis also book gastroscopy	Eferal 🖋	Plexible Sigmoidou	-
Seenth Set as Default	Weight loss and 40 Positive FOB plu Roctal Meeting (age < 50 C GP 28W Colo Recommended a	anacenia age > 60 abdoronal pain age > s red flag symptom plas red flag symptom muscopy Beforeal #3) If Iron Deficiency Anaemia also book gastroscopy	Efferral 🐔	Plexible Sigmoidou J e roctal / and mas	
Seenth Set as Default	Weight loss and 40 Positive F08 plu Rectal Meeding (age < 50	anacenia age > 60 abdoronal pain age > s red flag symptom plas red flag symptom muscopy Beforeal #3) If Iron Deficiency Assemis also book gastroscopy	Efferral 🐔	Mexatele Sigmondone D	
Seenth Set as Default	Weight loss and 40 Positive FOB plu Rectal blending (age < 50 Color 200W Colo Recommended a OR Col	anacemia age > 60 abdominal pan age > s red flag symptom plas red flag symptom muscopy Referral *[] ger en) If Iron Deficiency Assemis also book gastroscopy	Abdominal s Referral Sci Abdominal s Refer patient Chesic ar	r lexible Sigmoidee J e rectal / anal mass (to 2000 Colorectal	сару 1 1 Самстт
Seenth Set as Default	Weight loss and 40 Positive FOB plu Rectal Mandling (age < 50 GP 2WW Cole Becommended at GR GP 2WW Cole Becommended at	anacemia age > 60 abdominal pain age > s red flag symptom plas red flag symptom mescopy Referral 40 ge m 25 d fit) If Iron Deficiency Assemis also book gastroscopy	Cor 2000 Seferral S Abdominal o Refer patien Class or If your patie	Plexible Sigmoidou J e roctal / and mas	сару 1 1 Самстт
Seenth Set as Default	Weight loss and 40 Positive FOB plu Rectal blending (age < 50 Colorest and the second Recommended a OR Colorest and the second Recommended a colorest app	anacemia age > 60 abdominal pan age > s red flag symptom plas red flag symptom muscopy Referral *[] ger en) If Iron Deficiency Assemis also book gastroscopy	Abdominal s Referral Sci Abdominal s Refer patient Chesic ar	r facelide Signmidee D e rectal / anal man t to 2000 Colorectal ent does not fallit R	сару 1 1 Самстт
Seenth Set as Default	Weight loss and 40 Positive FOB plur Rectal bleeding (ege < 50 GP 29WW Colo Recommended a OR Color Color Color Color	anacemia age > 60 abdorronal pain age > s red flag symptom plas red flag symptom anexcept Referral +00 age all >5 of fit obsoccopy (Virtual) ge 26-85 or antit for) If Iron Deficiency Assemis also book gastroscopy	Abdominal o Referrat Scher Cheir or Cheir or Cherk het your patie Contribution	Pleasible Signwordon D e rectal / anal mass (to 2000 Colorectal of does not fulfil 80 next concer	сару 1 1 Самстт
Seenth Set as Default	Weight loss and 40 Positive FOB plu Rectal bleeding (age < 50 C 2 20W Colo Recommended a OR C 2 20W CT C Recommended a CR C 20W CT C	anacemia age > 60 abdominal pain age > s red flag symptom plas red flag symptom mescopy Referral) If Iron Deficiency Assemis also book gastroscopy CP 299W Gastroscopy (060) Referral 40	Abdoesteal o Referrat % Abdoesteal o Refer Class or Ti yoor patter Criteria but yoor saste Cheese a	Flexible Signwordon e rectal / anal mass t to 2000 Colorectal mit down not failed 80 sect concer ad Book Link: ©D	сару 1 1 Самстт
Seenth Set as Default	Weight loss and 40 Positive FOB plu Rectal bleeding (age < 50 C 2 20W Colo Recommended a OR C 2 20W CT C Recommended a CR C 20W CT C	anacemia age > 60 abdorronal pain age > s red flag symptom plas red flag symptom anexcept Referral +00 age all >5 of fit obsoccopy (Virtual) ge 26-85 or antit for) If Iron Deficiency Assemis also book gastroscopy CP 299W Gastroscopy (060) Referral 40	Abdoesteal o Referrat % Abdoesteal o Refer patter Check of Offer patter Checks but your patte Checks he but your same Checks a but your same	Flocation Signmonton P rectal / anal mass to 2000 Colorectal mit doors not fulfil 81 rect concor and Book Links: =02 TVE Syntem	eapy I Cancer ICE
Seenth Set as Default	Weight loss and 40 Positive FOB plur Rectal Maesing (age < 50 GP 29WW Cole Recommended a OR GP 29WW CT A GR 29WW CT A GR 29WW CT A GR 29WW CT A	anacemia age > 60 abdominal pain age > s red flag symptom plas red flag symptom mescopy Referral	If Iron Deficiency Assemis also book pastroscopy G & 2000 Gastroscopy (OGD) Referral 40	Abdoesinal a Referrat & Abdoesinal a Refer paties Casic ar If your patie Criteria bell you sail Chusic a This is the L	Pleasible Signmotion Process / anal more to 2000 Colorectal out does not fulfill Ri next cancer and Book Link: *D PTE System	Capty I Cancer ICT
Seenth Set as Default	Weight loss and 40 Positive FOB plur Sectal bleeding (age < 50 GP 29W Colo Recommended a OR GP 29W CT C GR GP 29W CT C GR GR GP 29W CT C GR GR GP 29W CT C GR GR GP 29W CT C GR GR GP 29W CT C GR GR GR GR GR GR GR GR GR GR	anacemia age > 60 abdominal pain age > s red flag symptom plas red flag symptom onscore Referral * get at 25 d fit solonoscopy (Virtual) get 26-85 or solit for obtamos and Polyos) If Iron Deficiency Assemis also book gestroscopy CP 2999 Gestroscopy (OGD) Referral + patient: To voer procein of the test	Abdoesinal a Referrat & Abdoesinal a Refer paties Casic ar If your patie Criteria bell you sail Chusic a This is the L	Pleasible Signwordow e rectal / anal mass t to 2000 Colorectal mit does not fulfil 80 sect cancer ad Book Link: *** IVE System represents for this patient	Copy I Cancer ICE
Seenth Set as Default	Weight loss and 40 Positive FOB plur Rectal Maneding (ege < 50 GP 20W Colo Recommended at CR GP 20W Colo Recommended at CR GP 20W CI C Recommended at CR CR CR CR CR CR CR CR CR CR	anacemia age > 60 abdorronal pain age > s red flag symptom plus red flag symptom onescopy flag symptom op rel 25 if fit solemoscopy (Virtual) ge 26-85 or selft for obtained polytic columns and Polytic dominant polytic columns and Polytic dominant selft for either o myorits made for this) If Iron Deficiency Assemis also book gestroscopy CP 299W Gestroscopy (OGD) Referral + patient: To wear records of the tests Investigations	Abdoesinal a Referrat & Abdoesinal a Refer paties Casic ar If your patie Criteria bell you sail Chusic a This is the L	Pleasible Signmotion Process / anal more to 2000 Colorectal out does not fulfill Ri next cancer and Book Link: *D PTE System	agy a I Cancer IC I I I I I I I I I I I I I I I I I I
Seenth Set as Default	Weight loss and 40 Positive FOB plur Soctal blending (age < 50 C P 2WW Colo Recommended a OR C P 2WW Colo Recommended a C R C P 2WW Colo Recommended a C R C R C R C R C R C R C R C R	anacemia age > 60 abdownood pass age > s red flag symptom plas red flag symptom muscopy factored) If Iron Deficiency Assemis also book gestroscopy CP 299W Gestroscopy (OGD) Referral + patient: To wear records of the tests Investigations	Abdoesinal a Referrat & Abdoesinal a Refer paties Casic ar If your patie Criteria bell you sail Chusic a This is the L	Flexible Signoidon e rectal / and main to 2000 Coheectal mit does not falled 80 nect concer nd Book Link: == TVE Symbox Typesty Soc 200	Coopy E E Cancor RCE Tr. CEL Nerro- N. CEL NER
Seenth Set as Default	Weight loss and 40 Positive FOB plus Rechail Manufang (age < 50 GP 2WW Colo Recommended a OR GP 2WW COLO Recommended a Col GP 2WW CI A Recommended a Col GP 2WW CI A Col Col Col Col Col Col Col Col	anacemia age > 60 abdommal pain age > s red flag symptom plus red flag symptom annocene Referral +00 ope all 25 of fit observedy (Vintual) ger 20 25 of antificit observedy (Vintual) ger 26 fits or aufit for observed flag other of the domes and Polys dS or aufit for other of moves some for the regents smalle for the inport Some, Costa See inport South & MS) If Iron Deficiency Assemis also book gestroscopy CP 299W Gestroscopy (OGD) Referral + patient: To wear records of the tests Investigations	Abdoesteal o Referrat % Abdoesteal o Referrat % Ti your patte Criteria but your patte Criteria but your patte Criteria but your saste Cheuse a The is the ti	Pleaselider Stagemoniform P r rectail / annel manuel (to 20000 Coloreschal and doors not fuelled NO rect concorr and Book Links:	1 1 1 1 1 1 1 1 1 1 1 1 1 1

4) The following tables identify which questions will be asked.

Ensure the following information is to hand before trying to complete the referral or it will be necessary to come out of ICE to find it.

- a. Patient availability in next 2weeks
- b. Correct patient phone number for contact
- c. Any co-morbidities
- d. eGFR within the past month
- e. If patient is on an anticoagulant of any sort

Colonoscopy TWW Referrals: Question	NBT	UHBT
Availability within next 2wks	Y/N	Y/N
Can the patient turn unaided	Y/N	Y/N
Are there any contraindications to colonoscopy	Picking List	Picking List

What are the patient's symptoms	Picking list	
Age over 40yrs	Y/N	
Are there any co-morbidities	Picking List	Picking List
Did you select any co-morbidities	Y/N	
If you do select a co-morbidity or answer Yes you will be asked if eGFR		
has been done within the past month and if not, to carry one out		
Suggestion of appropriate bowel prep Senna & Citramag if no co-morb	Y/N	
Moviprep if there are co-morb	Y/N	
Do you agree to be the prescriber of the bowel prep	Y/N	
NBT will dispense the bowel prep	ОК	
Is the patient on ferrous sulphate?	Y/N	
If Yes - please stop		
Is the patient on an anticoagulant; picking list of names	Y/N for each	
Does the patient have a infection	Picking List	
Contact number for the patient	Dialogue box	Dialogue box
Availability within the next two weeks	Dialogue box	Dialogue box
Is there any other useful information eg cognitive function	Dialogue box	Dialogue box
If a polyp <1cm is identified, you will be asked separately to refer for	??	??
polypectomy		
Is the weight over 120Kg		Y/N
Are they age >80yrs		Y/N
Can they walk more than 20m unaided		Y/N
Are they able to take bowel prep at home		Y/N
Have they got someone to pick them up		Y/N
Have they capacity to give consent		Y/N
Any allergies		Y/N

CT Virtual Colonoscopy TWW Referrals: Question	NBT	UHBT
Availability within next 2wks	Y/N	
What are the patient's symptoms	Picking list	
Age	Y/N	
Can the patient tolerate taking oral gastrografin?	Y/N	
Is there a chance that the patient could be pregnant	Picking list	
What are the symptoms	Dialogue box	
Does the patient have a infection	Picking List	

CT Abdo/Pelvis TWW Referrals: Question	NBT	UHBT
Availability within next 2wks	Y/N	
What are the patient's symptoms	Picking list	
Age : is the patient <60yrs	Y/N	
Is there a chance that the patient could be pregnant	Picking list	
What are the symptoms	Dialogue box	
Does the patient have a infection	Picking List	